

&Tradition

Rombe IF1-IF6
Industrial Facility
2025



Product Fact Sheet



H: 223 cm / 87 7/8 in

W: 83 cm / 32 5/8 in
D: 36 cm / 14 1/8 in

Rombe IF1
Industrial Facility
2025





→ Anthracite & Walnut



→ Anthracite



→ Alabaster & Oak

→ Alabaster

Product description
Full bay shelves

Environment
Indoor

Material
Water-based lacquered oak or walnut veneer, wood-based board and / or powder-coated steel and aluminium. This product has not been treated with any biocides.

Production process
Die-cast aluminium top support and foot. Extruded aluminium upright bracket. Lazer cut and bent sheet steel shelves, or wooden shelves made from a wood-based board and oak veneer.

Dimensions
H: 223 cm / 87 7/8 in
W: 83 cm / 32 5/8 in
D: 36 cm / 14 1/8 in

Weight
Veneer: 28 kg, Steel: 30.3 kg

Strength, durability and safety testing
EN 16121 Level 2 - Storage
BIFMA

Certifications

FSC
www.fsc.org
FSC® C154398
The mark of responsible forestry

FSC® Mix 70%

Add-ons
Rombe IF4 - Add-on bay shelves
Rombe IF5 - Add-on bay desk
Rombe IF6 - Add-on bay cabinet


Impact
- Made using FSC® certified wood, supporting responsible management of the world's forests.
- Uses water-based lacquer, safer for indoor air quality.
- Designed for dissasembly, making it easier to repair, renovate and responsibly recycle at end-of-life.
- Uses aluminium, a lightweight, durable and highly recyclable metal, able to be repurposed in another production cycle.
- Packaging uses FSC® certified cardboard, supporting responsible management of the world's forests."

Manufacturer
Produced in PRC by Nine United China Limited

Cleaning Instructions
Please see our Maintenance & Care instructions here

→ Stock items
Available in stock

&Tradition®



H: 223 cm / 87 7/8 in

W: 83 cm / 32 5/8 in
D: 36 cm / 14 1/8 in
Desk D: 49 cm / 19 1/4 in

Rombe IF2
Industrial Facility
2025





→ Anthracite & Walnut



→ Anthracite



→ Alabaster & Oak

→ Alabaster

Product description
Full bay desk

Environment
Indoor

Material
Water-based lacquered oak or walnut veneer, wood-based board and / or powder-coated steel and aluminium. This product has not been treated with any biocides.

Production process
Die-cast aluminium top support and foot. Extruded aluminium upright bracket. Lazer cut and bent sheet steel shelves, or wooden shelves made from a wood-based board and oak veneer. Desk made from a wood-based board and oak or walnut veneer.

Dimensions
H: 223 cm / 87 7/8 in
W: 83 cm / 32 5/8 in
D: 36 cm / 14 1/8 in
Desk D: 49 cm / 19 1/4 in

Weight
Veneer: 21 kg
Steel: 22 kg

Strength, durability and safety testing
EN 16121 Level 2 - Storage
BIFMA

Certifications

FSC
www.fsc.org
FSC® C154398
The mark of responsible forestry

FSC® Mix 70%

Add-ons
Rombe IF4 - Add-on bay shelves
Rombe IF5 - Add-on bay desk
Rombe IF6 - Add-on bay cabinet


Impact
- Made using FSC® certified wood, supporting responsible management of the world's forests.
- Uses water-based lacquer, safer for indoor air quality.
- Designed for dissasembly, making it easier to repair, renovate and responsibly recycle at end-of-life.
- Uses aluminium, a lightweight, durable and highly recyclable metal, able to be repurposed in another production cycle.
- Packaging uses FSC® certified cardboard, supporting responsible management of the world's forests.

Manufacturer
Produced in PRC by Nine United China Limited

Cleaning Instructions
Please see our Maintenance & Care instructions here

→ Stock items
Available in stock

&Tradition®



H: 223 cm / 87 7/8 in

W: 83 cm / 32 5/8 in
D: 36 cm / 14 1/8 in

Rombe IF3
Industrial Facility
2025





→ Anthracite & Walnut



→ Anthracite



→ Alabaster & Oak



→ Alabaster

Product description
Full bay cabinet

Environment
Indoor

Material
Water-based lacquered oak or walnut veneer, wood-based board and / or powder-coated steel, aluminium & 5mm low iron, tempered glass. This product has not been treated with any biocides.

Production process
Die-cast aluminium top support and foot. Extruded aluminium upright bracket. Lazer cut and bent sheet steel shelves, or wooden shelves made from a wood-based board and oak or walnut veneer. Cabinet made from wood-based board and oak or walnut veneer with tempered glass cabinet doors.

Dimensions
H: 223 cm / 87 7/8 in
W: 83 cm / 32 5/8 in
D: 36 cm / 14 1/8 in

Weight
Veneer: 46 kg
Steel: 48 kg

Strength, durability and safety testing
EN 16121 Level 2 - Storage
BIFMA

Certifications

FSC
www.fsc.org
FSC® C154398
The mark of responsible forestry

FSC® Mix 70%

Add-ons
Rombe IF4 - Add-on bay shelves
Rombe IF5 - Add-on bay desk
Rombe IF6 - Add-on bay cabinet
Powder coated steel shelf


Impact
- Made using FSC® certified wood, supporting responsible management of the world's forests.
- Uses water-based lacquer, safer for indoor air quality.
- Designed for dissasembly, making it easier to repair, renovate and responsibly recycle at end-of-life.
- Uses aluminium, a lightweight, durable and highly recyclable metal, able to be repurposed in another production cycle.
- Packaging uses FSC® certified cardboard, supporting responsible management of the world's forests.

Manufacturer
Produced in PRC by Nine United China Limited

Cleaning Instructions
Please see our Maintenance & Care instructions here

→ Stock items
Available in stock

&Tradition®



H: 223 cm / 87 7/8 in

W: 81.5 cm / 32 in
D: 36 cm / 14 1/8 in

Rombe IF4
Industrial Facility
2025





→ Anthracite & Walnut



→ Anthracite



→ Alabaster & Oak

→ Alabaster

Product description
Add-on bay shelves

Environment
Indoor

Material
Water-based lacquered oak or walnut veneer, wood-based board and / or powder-coated steel and aluminium. This product has not been treated with any biocides.

Production process
Die-cast aluminium top support and foot. Extruded aluminium upright bracket. Lazer cut and bent sheet steel shelves, or wooden shelves made from a wood-based board and oak veneer.

Dimensions
H: 223 cm / 87 7/8 in
W: 81.5 cm / 32 in
D: 36 cm / 14 1/8 in

Weight
Veneer: 25 kg, Steel: 27 kg

Strength, durability and safety testing
EN 16121 Level 2 - Storage
BIFMA

Certifications

FSC
www.fsc.org
FSC® C154398
The mark of responsible forestry

FSC® Mix 70%


Impact
- Made using FSC® certified wood, supporting responsible management of the world's forests.
- Uses water-based lacquer, safer for indoor air quality.
- Designed for dissasembly, making it easier to repair, renovate and responsibly recycle at end-of-life.
- Uses aluminium, a lightweight, durable and highly recyclable metal, able to be repurposed in another production cycle.
- Packaging uses FSC® certified cardboard, supporting responsible management of the world's forests.

Manufacturer
Produced in PRC by Nine United China Limited

Cleaning Instructions
Please see our Maintenance & Care instructions here

→ Stock items
Available in stock

&Tradition®



H: 223 cm / 87 7/8 in

W: 81.5 cm / 32 in
D: 36 cm / 14 1/8 in
Desk D: 49 cm / 19 1/4 in

Rombe IF5
Industrial Facility
2025

Product description
Add-on bay desk

Environment
Indoor

Material
Water-based lacquered oak or walnut veneer, wood-based board and / or powder-coated steel and aluminium. This product has not been treated with any biocides.

Production process
Die-cast aluminium top support and foot. Extruded aluminium upright bracket. Lazer cut and bent sheet steel shelves, or wooden shelves made from a wood-based board and oak veneer. Desk made from a wood-based board and oak or walnut veneer.

Dimensions
H: 223 cm / 87 7/8 in
W: 81.5 cm / 32 in
D: 36 cm / 14 1/8 in
Desk D: 49 cm / 19 1/4 in

Weight
Veneer: 18 kg
Steel: 19 kg

Strength, durability and safety testing

Certifications

FSC® Mix 70%

Impact
- Made using FSC® certified wood, supporting responsible management of the world's forests.
- Uses water-based lacquer, safer for indoor air quality.
- Designed for dissasembly, making it easier to repair, renovate and responsibly recycle at end-of-life.
- Uses aluminium, a lightweight, durable and highly recyclable metal, able to be repurposed in another production cycle.
- Packaging uses FSC® certified cardboard, supporting responsible management of the world's forests.

Manufacturer
Produced in PRC by Nine United China Limited

Cleaning Instructions
Please see our Maintenance & Care instructions here

→ Stock items
Available in stock





→ Anthracite & Walnut




→ Anthracite



→ Alabaster & Oak

→ Alabaster

&Tradition®



H: 223 cm / 87 7/8 in

W: 81.5 cm / 32 in
D: 36 cm / 14 1/8 in

Rombe IF6
Industrial Facility
2025





→ Anthracite & Walnut



→ Anthracite



→ Alabaster & Oak



→ Alabaster

Product description
Add-on bay cabinet

Environment
Indoor

Material
Water-based lacquered oak or walnut veneer, wood-based board and / or powder-coated steel, aluminium & 5mm low iron, tempered glass. This product has not been treated with any biocides.

Production process
Die-cast aluminium top support and foot. Extruded aluminium upright bracket. Lazer cut and bent sheet steel shelves, or wooden shelves made from a wood-based board and oak or walnut veneer. Cabinet made from wood-based board and oak or walnut veneer with tempered glass cabinet doors.

Dimensions
H: 223 cm / 87 7/8 in
W: 81.5 cm / 32 in
D: 36 cm / 14 1/8 in

Weight
Veneer: 43 kg, Steel: 45 kg

Strength, durability and safety testing

Certifications

FSC® Mix 70%

Add-ons
Powder coated steel shelf

Impact
- Made using FSC® certified wood, supporting responsible management of the world's forests.
- Uses water-based lacquer, safer for indoor air quality.
- Designed for dissasembly, making it easier to repair, renovate and responsibly recycle at end-of-life.
- Uses aluminium, a lightweight, durable and highly recyclable metal, able to be repurposed in another production cycle.
- Packaging uses FSC® certified cardboard, supporting responsible management of the world's forests.

Manufacturer
Produced in PRC by Nine United China Limited

Cleaning Instructions
Please see our Maintenance & Care instructions here

→ Stock items
Available in stock

&Tradition®


Recycling & Disassembly

Rombe IF1-IF3

Recycling
Your Rombe shelving system is built to last and we hope that it will serve you for many years to come. Made from a combination of solid wood, wood veneer, tempered glass, powder-coated steel and aluminium elements, the system can be easily separated and delivered to a suitable recycling station.

Spare parts
To purchase spare parts, please write to our sales support team at info@andtradition.com with your query.

5 year warranty
&Tradition provides a 5-year warranty with every Rombe system. This warranty covers any faults present at the time of purchase, or those that may have occurred as a result of a manufacturing defect. The warranty is valid from the date stated on the original invoice.




Disasembly
1. First, locate any bracket connecting the shelving system to the wall. Remove the screws holding it into place and separate it from the shelf.


&Tradition®

Recycling & Disassembly


Rombe IF1-IF3



Disasembly
2. Next, remove metal shelves from the system as illustrated.




3. In the case of wooden desks or shelves, separate the metal brackets from either end by removing the screws from underneath. Remember to also remove the threaded inserts from the wooden boards.



&Tradition®


Recycling & Disassembly

Rombe IF1-IF3




Disasembly
4. To disassemble the cabinet, carefully remove the tempered glass panels first. Start by gently lifting the panel all the way up into the top rail.


Next, remove the panel from the bottom edge as illustrated.



5. Unscrew the wooden cabinet top by removing the screws on the underside. In case there is a metal cabinet shelf, separate this as well.



6. Continue to remove the wooden cabinet bottom next.




7. Remember to remove the threaded inserts from the wooden boards.


&Tradition®

Recycling & Disassembly


Rombe IF1-IF3




Disasembly
8. Next, lift the top cap from the wall brackets.



9. Detach the wall brackets from the wall by removing the screw holding them in place.



10. Separate the uprights from the wall brackets by removing the screws joining the two together.





11. Next, remove the screws and the magnets from both the uprights and the top caps.

&Tradition®

Recycling & Disassembly

Rombe IF1-IF3





Disasembly
12. Finally, remove the glider from the base of the uprights by unscrewing them counter clockwise.

Separate each glider into its individual parts by unscrewing the insert screw and the screw from below.

&Tradition®