&Tradition

Patch HW1 & HW2

Hee Welling

2020



Product Fact Sheet



W: 180cm / 72in
D: 90cm / 35in
Extended W: 280cm / 72in

Patch HW1
Hee Welling
2020

Product category
Extendable table

Environment
Indoor

Material
Solid wood, Nano laminate and Brass.

Production process
The tabletop and butterfly leaves are laminated with Nano Laminate and all edges are venered. The frame and legs are milled from solid wood and finished with oil. The brass fittings used for the leg assembly are cast.

Dimensions
H: 75cm / 30in,W: 180cm / 72in/ W: 280cm / 72in, D: 90cm / 35in

Package dimensions
H: 14cm / 5.6in, W: 97cm / 38.8in,
D: 187cm / 74.8in

Colli quantity
1

Weight
Product: 63.3 kg / Incl packaging: 79.5 kg

Gliders
Felt gliders installed as standard.

Strength, Durability and Safety Testing
Tested for strength, durability and safety according to EN 15373 Level 2 - General contract use.

Wood finishes
White oiled Oak, Smoked oiled oak and
Oiled walnut



Related products



HW2



White oiled oak



Smoked oiled oak



Oiled walnut

&Tradition®



W: 240cm / 96in
D: 100cm / 40in
Extended W: 340cm / 96in

Patch HW2
Hee Welling
2020

Product category
Extendable table

Environment
Indoor

Material
Solid wood, Nano laminate and Brass.

Production process
The tabletop and butterfly leaves are laminated with Nano Laminate and all edges are venered. The frame and legs are milled from solid wood and finished with oil. The brass fittings used for the leg assembly are cast.

Dimensions
H: 75cm / 30in, W: 240cm / 96in / 35in/ 340cm / 96in, D: 100cm / 40in

Package dimensions
H: 14cm / 5.6in, W: 107cm / 42.8in,
D: 247cm / 98.8in

Colli quantity
1

Weight
Product: 89.3 kg / Incl packaging: 97.3 kg

Gliders
Felt gliders installed as standard.

Strength, Durability and Safety Testing
Tested for strength, durability and safety according to EN 15373 Level 2 - General contract use.

Wood finishes
White oiled Oak, Smoked oiled oak and
Oiled walnut

Related products



HW1







White oiled oak



Smoked oiled oak



Oiled walnut

&Tradition®